

Filimonov, V.A. et al.

The Rates of Reaction of Individual Groups of  
Hydrocarbons in Hydrocracking.  
NEFTEPERERAB. NEFTEKHIM., 1970, No.10, pp.4-7.  
A.T.S RJ-5845

Lashkin, V. L.

*Evaluation of the antipitting properties of lubricants  
on a four-ball friction machine.  
NEFTPERERABOTKA I NEFTEKHIMIYA, No 12, 1970, pp 4-6*

Kechkin, G.I.

Adsorption of Additives from Oils of Various  
Chemical Composition and Its Connection with  
Antiwear Properties  
8 pp

NEFTEPERERABOTKA I NEFTEKHIMIYA No 1, 1971 pp 21-22

FSTC-HT-23-1634-72  
ACSI-K-2225

Pinkovskii, Ya. I. et al

Analysis of the Performance of the Electrolytic  
Desalting Section of a Combined Electrolytic  
Desalting Unit and Atmospheric Vacuum Pipe Still  
Plant of the A-12/9 Type.

NEFTEPERERAB. NEFTEKHIM. (Moscow) 1971, No. 2,  
pp. 45-7.

A.T.S RJ-5866

Tanatarov, M.A. et al

The Role of Sulfidization of an Alumina-Cobalta-Molybdena Catalyst in the Hydrorefining of Thermally Cracked Gasoline.

NEFTEPERLRAB. NEFTEKHIM., 1971, No.6, pp.5-8.  
A.T.S RJ-5843

Katsobashvili, Ya. R. et al

Adoption of a Method of Production of Microspheroidal Alumina and Alumina Catalysts by Spray Drying in a Semicommercial Plant at the Angar Petrochemical Combine.

pp.43-4.  
A.T.S RJ-5842

Safronov, V. S.

*Investigation of high conversion isopropyl benzene  
dehydrogenation process under conditions of an  
industrial adiabatic reactor.*

NEFTPERERABOTKA I NEFTKHIMIYA, No 1, 1972, pp 37-40  
NTC 73-14063 14039-07A

Kalechits, I. V.

Investigation of the mechanism of hydrocracking of  
durene by means of labeled atoms  
NEFTYERERBOTKA I NEFTEKHIMIYA: NAUCINO-TEKHNICHESKII  
SBORNIK, n. 6, 1969, pp. 31-33  
WTC 73-12843-07A

Rheological Characteristics of Greases and the Main  
Principles of Their Movement in Tubes, by  
A. I. Nakorchevskiy, 12 pp.  
NEFTEPERERABOTKA I NEFTEGAZMIYA, RESPUBLIKANSKIY  
MEZHVEDOMSTVENNYY SBORNIK, No 4, 1971, pp 81-89.  
ARM/FSTC/HT-23-248-73

May 73

Kosholov, V. I.

Experimental determination of the equilibrium conditions of hydrate formation of an ethylene-ethane mixture.

СОВЕТСКАЯ АВИАЦИЯ И КОСМОПРОСТЫНЬ, n. 8, 1971,

P. 25-26  
GPO 73-11416-070

Nazarov, V.

Mathematical description of the formation of acids and  
deposits on engine pistons and rings in oils of various  
hydrocarbon composition.  
NEFTEPERERABOTKA I NEFTEKHIMIYA, n. 11, p. 14-17, 1971  
TC-12718

ISAEV, B. N.

Analysis of the Operation of an Electrical  
Desalting Unit in a High Efficiency Atmospheric Unit  
NEFTEPERERABOTKA I NEFTEKHIMIYA, no. 1, pp. 13-14, 1972  
NTC 73-10121-07A

March 73

SOKOLINA, L. F.

//NETTEPERERABOTKA I NETTEKHIMIYA//


--/-/1972, v----, N0003,

Investigation of the Solubility of Ethyl Merceptan  
in Alkali Solutions Containing Different Additives,  
pp 40-41, ETC 74-10631-97AGG

MOROZOV, B. F.  
//NEFTIPERERABOTKA I MIFTINACHTA//  
--/--/1972, v----, NO001,  
Accumulation of Metals on the Surface of a Cracking  
Catalyst,  
PP 7-9, ATC 74-11317-07403

KRAVTSKOVA, E. A.  
//БОРТОВАЯ РАБОТКА И ИССЛЕДОВАНИЯ//  
--/-1972, V----, 10009,  
Effect of the Conditions of Potassium Zeolite  
Regeneration on the Indicators of Pyrolysis Gas Drying,  
PP 50-32, ITC 74-11250-07100

SAUDELLA, R.A.  
/MATERIALS PREPARATION & PURIFICATION//  
--/09/1974, 7----, NO009, SP 0005-0007  
Oil Refinery Waste Waters Purified Biochemically  
S...  
JPRS 42501  
"



Mishchenko, I.T.

Separation of Gas at the Intake of a Submergi-  
ble Centrifugal Pump.  
NEFTEPROM. DELO, 1969, No. 10, pp.7-10.  
A.T.S RJ-5991

MALEDOV, M. P.  
//LITERATURAYA I NAKLADATEL'IA. MOSCOW//  
--/1972, V---, 5000,  
The Preparation of Water-Soluble Polymers Based  
on an Acrylonitrile Polymer,  
PP 37-38, INC 74-1070-1156

Kozhakin, S.V.

Statistical Study of Oil Recovery from the  
Fields of the Ural Volga District in the Late  
Stages of Exploitation.  
NEFTEPROM. DELO, 1972, No.7, pp.6-11.  
A.T.S. ROEGB 979

Shustev, I.N. et al

Changes in the Effective Thickness of a Formation and Their Effect on the Productivity of Producing and Injection Wells (On the Example of Fields in the Perm District).

NEFTEPROM. DELO, 1972, No.7, pp.12-17.

A.T.S. RO&GB 980

Vagapov, Yu. G.

The Problem of Choosing the Pumping Conditions  
for Downhole Pumping Units Run on Hollow Rods.  
NEFTEPROM. DELO, 1972, No.7, pp.17-19.  
A.T.S. RO&GB 981

Khusainov, R.S. et al.

Field Studies of the Effect of the Screwing  
Torque on the Life of the Threaded Connections  
of Downhole Pump Rods.  
NEFTEPROM. DELO, 1972, No.7, pp.21-5.  
A.T.S. RO&GB 983

Sattar-Zade, S.D. et al

Determination of the Transmission Capacity  
of Cement-Sand-Salt Filters.  
NEFTEPROM. DELO, 1972, No.7, pp.29-31.  
A.T.S. RO&GB 986

Kaplan, L.S.

Protection of Downhole Centrifugal Electrical-  
ly Driven Pumps from Water.  
NEFTEPROM. DELO, 1972, No.8, pp.4-6.  
A.T.S. RO&GB 988

Rastorguev, M.A. et al

Prevention of Blowouts (Uncontrolled Flows)  
in Subsurface Well Repair.  
NEFTEPROM. DELO, 1972, No.8, pp.9-12.

A.T.S. RO&GB 990

Kostryukov, G.V. et al

Experimental Arrangement for Determining the  
Effect of a Magnetic Field on the Crystalliza-  
tion and Deposition of Salts.

NEFTEPROM. DELO, 1972, No.8, pp.13-16.  
A.T.S. RO&GB 991

Nizamov, K.R. et al

Preparation of Waste Waters Containing Iron  
Salts for Flooding Productive Formations.  
NEFTEPROM. DELO, 1972, No. 8, pp.16-19.

Koryagin, Yu.G.

Estimation of the Condition of the Bottom Hole  
Zone of a Formation with the Aid of a Formation  
Tester.  
NEFTEPROM. DELO, 1972, No.8, pp.19-22.  
A.T.S. RO&GB 993

Li, A.D.

The Advisability of Separate Purification Oil  
Field Waste Waters for Infection to the Re-  
servoir.

NEFTEPROM. DELO, 1972, No.8, pp.22-5.  
A.T.S. RO&GB 994

Saakov, Yu.A.

A Study of the Types of Statistical Relations  
of Downhole Rod Pump Failures.  
NEFTEPROM. DELO, 1972, No.8, pp.25-7.  
A.T.S. RO&GB 984

Intyashin, A.D.

Experience in Preparing Crudes in SP-1000 Separator-Preheater Units In the OSA Field.  
NEFTEPROM. DELO, 1972, No.8, pp.25-8.  
A.T.S. RO&GB 995

Sattarov, U.G. et al

Thermophysical Properties of Crudes and Water-  
Oil Emulsions of Tatary.  
NEFTEPROM. DELO, 1972, No.8, pp.28-31.  
A.T.S. ROEGB 996

Isanbayev, A.G. et al

Finding the Causes of High Disolvan Consumption in the Preparation of Carbonaceous Arlan Crudes.

NEFTEPROM. DELO, 1972, No.8, pp.31-6.  
A.T.S. RO&GB 997

Stepkin, V. I.

Exploration for Petroleum and Gas in the Ukraine  
in 1973.

5 pp

NEFTYANNAYA I GAZOVAYA PRIMYSHLENNOST', Kiev,  
No 1, Jan-Feb 1973, pp 1-3.  
JPRS 60105

Vovchanovskiy, I. F.

Superhard 'Slavutich' Drill Bits Prove Them-selves in Ukraine.

7 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev,  
No 1, 1973, pp 15-17.  
JPRS 60190

Vitrik, S. P.

Geologic-Prospecting Work for Oil and Gas  
Reserves in the Ukraine.  
7 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No  
2, Mar-Apr 1973, pp 1-5.  
JPRS 59633

Vitrik, S. P.

Evaluation of the Results and Further Trends in  
Geological Exploration Work For Petroleum and Gas  
in the Ministry of Geology Ukrainian SSSR.  
6 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No 2,  
Mar-Apr 74, pp 1-4.  
JPRS 62909

Tkach, V. F.

Competition to Increase Ukrainian Natural Gas Recovery.

5 pp  
NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No 3,

May-Jun 74, pp 45-48.  
JPRS 63030

NORTHERN AND WINTER OILS FOR DIESEL ENGINES

BELYANCHIKOV, G LANGUAGE-RU COUNTRY-UR

NEFTYANIK, NO. 6 1972, PP. 11-13

FSTC-HT-23-1542-73

Bray, I.

Collection of Re-Usable Oil Products in the  
RSFSR Described.

6 pp

NEFTYANIK, Moscow, No 5, May 1973, pp 8-10

JPRS 59408

Filippov, N.

Oil-Well Fire Simulated Realistically for Study  
Purposes.

5 pp

NEFTYANIK, Moscow, No 7, July 1973, pp 34-36.  
JPRS 59876

Smirnov, V.

The Petroleum Industry of the Nation is on the  
Rise.

12 pp  
NEFTYANIK, Moscow, No 9, Sept 1973, pp 1-5.  
JPRS 60748

RUSSIAN

CSO: 8144/1488

13 Feb. 1974

Petroleum Specialist, by A. Amiyan, V. Vasil'yev,  
et al.

Moscow, Neftyanik, Jan. 1974, No 1, pages 4-6, 8-11,  
28, 36-39.

Please publish

Zaytseva, R.  
Competition Among Petroleum Workers.  
6 pp  
NEFTYANIK, Moscow, No 2, Feb 1974, pp 1-3.  
JPRS 61689

Smirnov, V.

Minister of Petroleum Industry Comments on Future  
Prospects.

6 pp

NEFTYANIK, Moscow, No 3, Mar 74, pp 3-6.  
JPRS 62368

Shadrin, L.

Moscow Exhibit of American Oilfield Equipment.

5 pp

NEFTYANIK, Moscow, No 3, Mar 1974, pp 21-23.

JPRS 62354

Conference of Petroleum Industry Workers.  
9 pp

NEFTYANIK, Moscow, No 4, Apr 74, pp 1-4.  
JPRS 62298

Development of the Soviet Petroleum Industry.  
8 pp

NEFTYANIK, Moscow, No 5, May 74, pp 1-4.  
JPRS 62376

Petroleum Production and Plans Discussed.  
9 pp

NEFTYANIK, Moscow, No 6, June 74, pp 2-3.

Semerikov, V.

Tatar-Tyumen' Oilfield Competition for 1974  
Described.

5 pp

NEFTYANIK, Moscow, No 7, Jul 74, pp 1-2.  
JPRS 62935

KOTYAKHOV, F. I.  
//NEFTYANOE KHOZYAISTVO//  
--/--/1956, V----, N0004,  
Approximation Method for the Determination of Oil  
Reserves in Fractured Rocks,  
pp 40-46, MTC 74-20059-Q8IQC@

Mikhailov, L. L.

*Calculation of reservoir fracture porosities on the  
basis of productivity indexes.*  
NEFTYANOE KHOZYAISTVO, No 1, 1962, pp 36-39  
NTC-73-21838-08I

Mochernyuk, D. Yu.

Calculations for Casing Collapse by External  
Hydrostatic Pressure.  
NEFT. KH02. Vol. 46, No. 2, pp.14-17, 1968.  
A.T.S RJ-5984

Piskozub, L. I.

Selection of Computational Formula for Determining Resistance of Casing Pipe to Uniform External Pressure.  
NEFT. KHOZ. Vol. 46, No. 2, pp.14-17, 1968.  
A.T.S RJ-5985

Izmailov, V.S.

Computational Formula for Determining the Re-  
sistance of Casing Pipe to External Pressure.  
NEFT. KHOZ. Vol. 47, No. 12, pp.28-30, 1969.  
A.T.S RJ-5983

Mishchenko, I.T.

Separation of Gas at the Intake of Submergible  
Equipment Operating in an Oil Well.  
NEFT. KHOZ., Vol. 48, No. 3, pp.52-56, 1970.  
A.F.S RJ-5990

Kopylov, V.E.

New Data on Breakdown of Hard Rocks by Diamond  
Tools at High Diamond Speeds.  
NEFT. KHOZ. Vol. 48, No. 5, pp. 7-10, 1970.  
A.T.S RJ5980

Vaskko, I. A.

Study of the interaction between a non-  
rotating stepped drill string and the  
bottom and walls of the well.

NEFTYANOE KHOZYAISTVO, v. 49, n. 8,  
p. 7-10, 1971.

ATS 79A129R

Simkin, E. M.

Calculation of temperature, pressure, and  
saturation in a fractured reservoir subjected to  
steam injection.

NEFTYANOE KHOZYAISTVO, v. 49, n. 8, p. 46-48, 1971.  
ATS 82A129R

GALLYAMOV, M. N.  
//NEFTYANOE KHOZYAISTVO//  
--/--/1972, V0050, N0003,  
Field Experiment on the Plugging of a Flooded  
Stratum with a Gel-Forming Liquid Based on  
Polymer Solutions,  
pp 67-70, MTC 74-10469-081@@

Zil'berman, V.I.

Indications of Approach to Horizons with Abnor  
mally High Reservoir Pressure During Drilling  
of Wells.

NEFT. KHOZ. Vol. 50, No. 6, pp.12-14, 1972.  
A.T.S RJ-5979

Panteleev, G.V.

Determination of Pressure in the Well Bore  
without Subsurface Pressure Gages.  
NEFT. KHOZ. Vol. 50, No. 6, pp. 35-9, 1972.  
A.T.S RJ-5978

Korshunov, E.S. et al

Automated System of Drilling Control.  
NEFT. KHOZ. Vol. 50, 1972, No.7, pp.1-6.  
A.T.S. ROEGB 809

Timofeyev, N.S.

Predicting Possible Drilling Parameters.  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.1-8.  
A.T.S. RO&GB 829

Matros, V.N.

The Spread of Water in Partially Invaded Gas  
Reservoirs on a Reduction in Pressure.  
NEFT. KHOZ. Vol. 50, 1972, pp.7-11.) №.7  
A.T.S. RO&GB 889

Zemskov, G.V.

The Fatigue Limit of Drill Pipe of Strength  
Group D Under Complex Loading.  
NEFT. KHOZ. Vol. 50, 1972, No.7, pp.9-11.  
A.T.S. RO&GB 811

Simonyants, S.L.

Analytical Determination of the Optimum Parameters of the Turbine of a Turbodrill with Slanted Pressure Lines,  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.11-13.  
A.T.S. ROGBB 812

Tsybin, A.A.

The Stressed State of Oval Casing and Cement  
Ring in Gas Wells.

NEFT. KHOZ. Vol. 50, 1972, pp.11-14, No. 1  
A.T.S RO&GB 890

Rudavskiy, I.E.

The Economic Effectiveness of Ball Thrust-Radial Multirow Bearings for Turbodrills.  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.14-16.  
A.T.S. RO&GB 813

Durmish'yan, G.A.

Withdrawal of condensate During the Creation  
of Underground Gas Storage Facilities in De-  
pleted Gas Condensate Reservoirs.

NEFT. KHOZ. Vol. 50, 1972, No.7, pp.17-19.  
A.T.S RO&GB 891

Tsybin, A.A.

Study of the Stressed State of Oval Pipe Under  
External Hydrostatic Pressure.  
NEFT KHOZ. Vol. 50, 1972, No. 7, pp.18-21.  
A.T.S. R06GB 815

Loksin, V.Sh

The Proper Shape of Rubber Packing Elements  
in Packers.  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.21-3.  
A.T.S. RO&GB 816

Khanin, I.L. et al

Principal Directions in Improving the Engineering of Oil Field Exploitation in the Kuibyshev district.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.24-30  
A.T.S. RO&GB 817

Stepanov, G.S.

Effect of Various Factors on the Recovery Factor for Condensate from a Formation under Gas Injection.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.30-33.

A.T.S. RO&GB 818

Blazhevich, V.A. et al

The Effectiveness of Controlling the Process  
of Recovery from Productive Formations.  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.33-7.  
A.T.S. R&GB 819

Levchenko, I.A. et al

A Set of Geophysical Methods for Monitoring  
the Injection of High-Pressure Enriched Gas  
in the Klyuchev Field.  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.37-42.

Bokserman, A.A. et al

Analysis of the Exploitation of Pools of High-Viscosity Crude in the Okha Field Using Thermal Stimulation.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.42-7.  
A.T.S. RO&GB 821

Tsynkova, O.E.

Lifting Fluid from Wells Using the Resonance  
Properties of the Fluid Column.  
NEFT. KHOZ. Vol. 50, No. 7, pp.47-51.  
A.T.S. RO&GB 822

Zhukov, G.V.

Selection of the Point of Attachment of the  
Pump to the Injection Collector,  
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.52-4  
A.T.S. ROEGB 823

Dzhafarov, Sh.T. et al

Experience with Adopting Separate Production  
in the Uzen Field.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.62-5.  
A.T.S. RO&GB 827

Voronov, V.N. et al

Suppressing and Bringing in Wells Under Con-  
ditions of Reduced Reservoir Pressures.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.5-8.  
A.T.S. ROEGB 893

Sementsov, G.N.

Field Study of the Change in Intensity of Bit  
Wear on Power Consumption in Time.  
NEFT. KHOZ. Vol. 50, 1972, No.8, pp.8-9  
A.T.S. RO&GB 830

Solodkiy, K.M. et al

Design of the Bottom Assembly of the Drill  
String to Prevent Hole Deviation in Rotary  
Drilling.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.10-15  
A.T.S. ROGB 831

Kirillov, A.G. et al

Change in Drilling Rate as a Function of Bit  
Type.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.18-21.

A.T.S. RO&GB 833

Il'yasov, E.P. et al

Effectiveness of Mud Displacement from Cavities.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.24-8.

A.T.S. RO&GB 835

Mincheva, R.M. et al

Experimental Injection of Water in the Dolni  
Dybnik Field in Bulgaria.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp. 37-40.  
A.T.S. RO8GB 838

Mirchink, M.F.

Magnitude of the Volumes of Water Injected  
into Inhomogeneous Reservoirs in the Third  
Stage of Oil Pool Exploitation.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp40-3.  
A.T.S. RO&GB 839

Zhuravlev, I.G.

Calculation of the Reliability of a System  
of Gas Wells with a Combination of Failures  
and Failures with Restoration.  
NEFT. KHOZ. Vol. 50, 1972, No.8, pp.42.  
A.T.S. ROEGB 894

Surguchev, M.L.

Optimum Operating Conditions of Injection  
Wells During Flooding.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.46-9.  
A.T.S. RO&GB 841

Kuchernyuk, V.A. et al

Processes for Automatic Monitoring of the  
Technological Parameters of Oil Wells.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp. 50-3.  
A.T.S. R06GB 842

Leibin, E.L. et al

Some Reasons for the Productivity Decrease of  
the Wells in the Uzen Field.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.53-6.  
A.T.S. RO&GB 843

Nechval, M.V. et al

Mixture Formation in the Successive Pumping  
of Petroleum Products of Different Viscosity.  
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.57-8.  
A.T.S. R06GB 844

Gubin, V.E.

Transition from Non-Newtonian to Turbulent  
Flow in the Flow of Viscoplastic Liquids in  
Pipes.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.59-62.  
A.T.S. RO&GB 845

Dugnisty, G.M. et al

Running 324-mm Casing in Well 217 of the Oktyabr'sk Field of the Grozneft Association.  
NEFT. KHOZ. Vol. 50, 1972, No.8, pp.63-5.  
A.T.S. RO&GB 846

KOVALEV, A. G.  
//NEFTYANOE KHOZYAISTVO//  
---/1972,V----,NO010,  
Experimental Evaluation of Bypassed Zones in the  
Water-flooding of Formations Saturated with Oils  
having Structural-Mechanical Properties,  
pp 43-48, NTC 74-10010-08I@

SIMKIN, YE. M.  
//NEFTYANOYE KHOZYAYSTVO//  
--/---/1973, V----, N0002,  
On the calculation of steam condensation and  
cooling of reservoir rocks after thermal  
treatment  
pp 50-52, NTC 74-11417-08I##

GARUSHEV, A.R.  
//NEFTYANOYE KHOZMAYSTVO//  
--/---/1973, V----, N0003,  
Investigation of the temperature field around an  
injection well  
pp38, NTC 74-11416-08IN#

OGANOV, K.A.  
//NEFTYANOYE KHOZYAYSTVO//  
--/-/1973, V----, N0003,  
Investigation of combustion processes in a  
reservoir rock saturated with low-viscosity crude  
oil  
pp 39-42, NTC 74-11415-08I##

Krems, A. Ya.

Long-Range Outlook Good for New Timano-Pechora  
Oilfields.

9 pp

NEFTYANOYE KHOZYAYSTVO, Moscow, No 9, Sept 1973,  
pp 23-26.  
JPRS 61256